
MADE IN JAPAN



http://www.eight-tool.co.jp



EIGHT TOOL CO.,LTD.

4-9-43, TATSUMI-MINAMI, IKUNO-KU, OSAKA, 544-0015, JAPAN TEL: 81-6-6793-9025 FAX: 81-6-6794-5441

EXCELLENT SERIES

"TAPER HEAD" WRENCH

EXTRA LONG LENGTH

TLS/TLC/TL



| | | F | 1, € | | | | | | | | = |
|-------------------|---|--------------------|-----------|--|---------------|--------------|---------|-------|--------|------------------------|---------|
| METRI | c 5 | IZE | | | | | -La | 2- | | | -11 |
| METAL CAS | Part Laboratory | Т | native na | | Marin Control | iwa. | | | | | Ψ. |
| Item No. | THE PERSON NAMED IN | Name of the last | | Manage | W | H | | | MANAGE | | Oute |
| TLS-11 | 11 | A1011011 | 000000 | 2.5 3 | - | 5 (| 8 6 | 10 | 12 | 14 | 10 |
| DOUBLE DE | 100000000000000000000000000000000000000 | 7 TYF | EF | HOLDE | R S | and the same | | | (Sli | de blist | er pack |
| Item No. | Pcs. | NAME OF THE OWNER. | MAN A | MINISTER OF THE PROPERTY OF TH | | H | | | | | Inner |
| TLS-9N | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| DOUBLE DECKE | THE COMMON | Name of Street | | ET WITH | 1 EX | TENS | ON I | PIPE | (Sli | de blist | er pack |
| Item No. | Pcs. | NE | - 60 | | | H | | | | | Inner |
| TLS-9NP | 9 | | _ | .5 3 | | _ | | 10000 | | E TUBES | |
| DOUBLE DECK | ER TY | PE HOL | DER | SET C | OLO | RED | WRE | NCH | (Slic | de blist | er pack |
| Item No. | Pcs. | NE | W | | | H | | | | | Inner |
| TLC-S9N | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| FLAT TYPE | HOL | DER S | SET | | | | | | (Sie | de blist | er pack |
| Item No. | Pcs. | | | | | H | | | | | Inner |
| TLS-6 | 6 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | | | | 10 |
| TLS-7 | 7 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | | | 5 |
| TLS-7S | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| TLS-8 | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| TLS-9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| DOOR HOLD | DER S | SET | | a.com | £1447 | | | | (Slic | de blist | er pack |
| Item No. | Pcs. | | 1000 | | | Н | ()))))) | (400) | | NAME OF TAXABLE PARTY. | Inner |
| TLS-9D | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| TLS-8D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| TLS-7SD | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| INDIVIDUAL | | 9 | | | | | | | (Slic | de blist | er pack |
| Item No. | | Н | | 1 | L | | 000 | | L2 | | Inner |
| TL-1.5 | | 1.5 | | | 16 | ; | | | 79 |) | 10 |
| TL-2 | | 2 | | | 17 | , | | | 95 | 5 | 10 |
| TL-2.5 | | 2.5 | | | 18 | 1 | | | 110 |) | 10 |
| TL-3 | | 3 | | | 20 |) | | | 126 | 3 | 10 |
| TL-4 | | 4 | | | 25 | 1 | | | 142 | 2 | 10 |
| TL-5 | | 5 | | 180 | 28 | 3 | | | 160 |) | 10 |
| TL-6 | | 6 | | | 32 | | | | 180 |) | 10 |
| TL-8 | | 8 | | | 36 | ; | | | 200 |) | 5 |
| TL-10 | | 10 | | | 40 |) | | | 224 | | 5 |
| TL-11 | | 11 (7/ | 16") | | 43 | 1 | | | 240 |) | 4 |
| TL-12 | | 12 | | | 45 | i | | | 250 |) | 4 |
| TL-14 | | 14 | | E | 55 | ; | | | 280 | | 4 |
| TL-17* | | 17 | | | 60 |) | | | 320 | | 4 |
| TL-19* | | 19 (3/4 | 4") | 1 | 70 |): | | | 360 | | 4 |
| III Bulk pack for | TL-17 | | | | | | | | 1111 | | |

EXTRA LONG LENGTH/LONG LENGTH TEL/TL/TLS

EXTRA LONG LENGTH





INCH SIZE

| EXTRA LON | VG LE | NGTH | 1 DC | OR I | HOL | DER | SE | Γ. | (Slide | blist | er pack) |
|-----------|-------|------|------|------|-----|------|------|-----|--------|-------|----------|
| Item No. | Pcs. | | | | | Н | WWW | | | | Inner |
| TEL-S9ZD | 9 | 1/16 | 5/64 | 3/32 | 1/8 | 5/32 | 3/16 | 1/4 | 5/16 | 3/8 | 5 |

| EXTRA LONG | LENGTH IND | IVIDUAL | (Slide blister pa | | |
|------------|------------|---------|-------------------|-------|--|
| Item No. | Н | L1 | L2 | inner | |
| TEL-1/16 | 1/16" | 15 | 79 | 10 | |
| TEL-5/64 | 5/64" | 17 | 93 | 10 | |
| TEL-3/32 | 3/32* | 18 | 108 | 10 | |
| TEL-1/8 | 1/8" | 20 | 127 | 10 | |
| TEL-5/32 | 5/32" | 25 | 140 | 10 | |
| TEL-3/16 | 3/16" | 28 | 158 | 10 | |
| TEL-1/4 | 1/4" | 32 | 178 | 10 | |
| TEL-5/16 | 5/16" | 36 | 198 | 5 | |
| TEL-3/8 | 3/8" | 40 | 222 | 5 | |
| TL-7/16 | 7/16" | 43 | 240 | 4 | |
| TL-1/2 | 1/2" | 45 | 248 | 4 | |
| TL-9/16 | 9/16" | 55 | 278 | 4 | |
| TL-5/8 | 5/8" | 60 | 320 | 4 | |
| TL-3/4 | 3/4" | 70 | 360 | 4 | |

**Draw your attention to the difference between TEL and TL when you order.
**Bulk pack for the sizes from TL-9/16 to 3/4 inch.

| THE RESERVE AND PERSONS ASSESSED. | I Married State | OOOR HOLDER SET (Side blist | Follows: |
|-----------------------------------|-----------------|---|----------|
| Item No. | Pcs. | H | Inner |
| TLS-9ZD | 9 | 1/16 5/64 3/32 1/8 5/32 3/16 1/4 5/16 3/8 | 5 |
| TLS-8ZD | 8 | 1/16 5/64 3/32 1/8 5/32 3/16 1/4 5/16 | 5 |
| TLS-13ZD | 13 | 0.05" 1/16 5/64 3/32 7/64 1/8 9/64 5/32 3/16 7/32 1/4 5/16 3/8 | 5 |

| LONG LENGT | (Slide blister pac | | | |
|------------|--------------------|----|-----|------|
| Item No. | Н | L1 | L2 | imer |
| TL-7/64 | 7/64" | 19 | 96 | 10 |
| TL-9/64 | 9/64" | 23 | 104 | 10 |
| TL-7/32 | 7/32" | 30 | 125 | 10 |



METRIC SIZE

| DOUBLE DE | ECKE | R TYP | E HO | LDEF | SE | ΞT | MINIS | | (Slic | de blist | er pack) |
|-----------|------|-------------|------|------|----|----|-------|-----|-------|----------|----------|
| Item No. | Pcs. | | | | H | 4 | | WW. | | | Inner |
| BCT-S9 | 9 | #1.5 | E 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |

#No "FIT RING" for 1.5 and 2 mm. FLAT TYPE HOLDER SET

| item No. | Pcs. | Pcs | | | | H | | | | imer |
|------------|--------|-----|---|----|----|----|------|-----|-----------|-------------|
| BCT-S7 | 7 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | | 5 |
| BCT-S5 | 5 | 2.5 | 3 | 4 | 5 | 6 | | | | 10 |
| INDIVIDUAL | | | | | | | | | (Slide bl | ister pack) |
| litem No. | 100000 | H | | | | 1 | 0000 | | Irner | |
| BCT-2.5 | | 2.5 | | | | 8 | | | 110 | 10 |
| BCT-3 | | 3 | | 12 | 20 | | | 126 | 10 | |
| BCT-4 | | 4 | | | 2 | 25 | | | 142 | 10 |
| BCT-5 | | 5 | 1 | 2 | 28 | | | 160 | 10 | |
| BCT-6 | | 6 | | | 32 | | | 180 | 10 | |
| BCT-8 | | 8 | | | 3 | 36 | | | 200 | 5 |
| BCT-10 | | 10 | | | 4 | 10 | | | 224 | 5 |

(Slide blister pack)


EXTRA LONG LENGTH/STANDARD LENGTH

BHS/BHC/BH RA LONG LENGTH





IDEAL SPECIAL SHORT ARM FOR EASY WORK IN CRAMPED PLACES



METRIC SIZE


| EXTRA LO | NG LE | NGTH | (Slide blister paci | | | | | | | | |
|----------|-------|------|---------------------|-----|---|---|---|---|---|----|-------|
| Item No. | Pcs. | | | | | H | | | | | Inner |
| TTS-9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| TTS-7 | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |

| EXTRA LONG | LENGTH IND | IVIDUAL | (Slide bl | ister pack) |
|------------|------------|---------|-----------|-------------|
| Item No. | Н | L1 | L2 | inner |
| TT-1.5P | 1.5 | 4 | 79 | 10 |
| TT-2P | 2 | 5 | 95 | 10 |
| TT-2.5P | 2.5 | 6 | 110 | 10 |
| TT-3P | 3 | 8 | 126 | 10 |
| TT-4P | 4 | 9 | 142 | 10 |
| TT-5P | 5 | 11 | 160 | 10 |
| TT-6P | 6 | 13 | 180 | 10 |
| TT-8P | В | 16 | 200 | 10 |
| TT-10P | 10 | 19 | 220 | 10 |

METRIC & INCH SIZE

5

| STANDARD | LEN | GTH | FLAT | TYF | EF | HOLD | ER S | ET | (Slid | e blist | er pack) |
|----------|------|-----|------|-----|-------|------|------|----|-------|---------|----------|
| Item No. | Pcs. | | | | , 100 | Н | | | | | imer |
| TTR-S9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| TTR-S9Z | | | | | | | | | | | 5 |



METRIC SIZE DOUBLE DECKER TYPE HOLDER SET WITH EXTENSION PIPE (Slide blister pack)

| Item No. | Pcs. | NE | W | | | H | | | | | Imer |
|--|------|-------|------|------|-----|-----|---|----|-------|-----------|----------|
| BHS-9NP | 9 | 1.5 2 | 2 2. | 5 3 | 4 5 | 5 6 | 8 | 10 | & PP | E TUBES | 5 |
| DOUBLE DE | CKE | R TYP | EH | OLDE | RS | ET | | | (Sli | de blist | er pack) |
| BHS-9N | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| FLAT TYPE | HOL | DER S | ET | | | | | | (Slic | de blisti | er pack) |
| BHS-7 | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| BHS-8 | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| Control of the Contro | | | | | | | | | | | |

| DOOR HULL | JEN 3 | DEI | | | | | | | (50) | de bliste | er pack |
|-----------|-------|-----|---|-----|---|---|---|---|------|-----------|---------|
| BHS-9D | 9 | 1,5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| BHS-8D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| BHS-7D | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |

DOUBLE DECKER TYPE HOLDER SET COLORED WRENCH (Side blister pack) 2 2.5


| NDIVIDUAL | | Maria Caracteria (C.) | (Slide bl | ster pack |
|-----------|-----|-----------------------|-----------|-----------|
| Item No. | Н | L1 | L2 | Inner |
| BH-1.5 | 1.5 | 16 | 79 | 10 |
| BH-2 | 2 | 17 | 95 | 10 |
| BH-2.5 | 2.5 | 18 | 110 | 10 |
| BH-3 | 3 | 20 | 126 | 10 |
| BH-4 | 4 | 25 | 142 | 10 |
| BH-5 | 5 | 28 | 160 | 10 |
| BH-6 | 6 | 32 | 180 | 10 |
| BH-8 | 8 | 36 | 200 | 10 |
| BH-10 | 10 | 40 | 224 | 10 |

EXTRA LONG LENGTH

KEY WRENCH LHS/LH

TANDARD LENGTH

RS/R



LHS-9N



LHS-9ZD DOOR HOLDER SET



METRIC & INCH SIZE

| DOUBLE D | EUNER | TITE | | ULDE | n _o z | DE I | 12.77.10 | | [5] | de blist | er pack) |
|-----------|-------|-------|----|------|------------------|------|----------|---|-----|----------|----------|
| Item No. | Pcs. | | | | | Н | | | | | Inner |
| LHS-9N | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| FLAT TYPE | HOL | DER S | ET | | | | | | (SI | de blist | er pack) |
| Item No. | Pcs. | 10000 | | | | Н | WW) | | | | inner |
| LHS-7 | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| LHS-9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |

| DOOR HOL | DER S | SET | | | | | | | Sld | e blist | er pack |
|----------|-------|------|------|------|-----|------|------|-----|------|---------|---------|
| Item No. | Pcs. | | | | | Н | | | | | Inner |
| LHS-9D | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| LHS-8D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| LHS-7D | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| LHS-9ZD | 9 | 1/16 | 5/64 | 3/32 | 1/8 | 5/32 | 3/16 | 1/4 | 5/16 | 3/8 | 5 |

| INDIVIDUAL | | | (Side bi | ster pack) |
|------------|-----------|----|----------|------------|
| Item No. | Н | L1 | L2 | Inner |
| LH-1.5 | 1.5 | 16 | 79 | 10 |
| LH-2 | 2 | 17 | 95 | 10 |
| LH-2.5 | 2.5 | 18 | 110 | 10 |
| LH-3 | 3 | 20 | 126 | 10 |
| LH-4 | 4 | 25 | 142 | 10 |
| LH-5 | 5 | 28 | 160 | 10 |
| LH-6 | 6 | 32 | 180 | 10 |
| LH-8 | 8 | 36 | 200 | 10 |
| LH-10 | 10 | 40 | 224 | 10 |
| LH-12 | 12 | 45 | 250 | 4 |
| LH-14 | 14 | 55 | 280 | 4 |
| LH-17* | 17 | 60 | 320 | 4 |
| LH-19* | 19 (3/4") | 70 | 360 | 4 |









METRIC & INCH SIZE

| Item No. | Pcs. | | M | | 10000 | Н | WWW. | 00000 | 90000 | MODELLE A | irre |
|----------|------|-----|---|-----|-------|---|------|-------|-------|-----------|------|
| RS-6 | 6 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | | | | 10 |
| RS-7 | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| RS-8 | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| RS-9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |

| - | - | _ | _ | | | | | _ | _ | | |
|----------|-------|------|---------|-------|-------|------|----|------|------|----------|----------|
| DOOR HOL | DER S | SET | | | | | | | (Sli | de blist | er pack) |
| item No. | Pcs. | | WEIGHT. | | F-110 | H | | | | | Inner |
| RS-9D | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| RS-7D | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| RS-8ZD | 8 | 1/16 | 5/64 | 3/32 | 1/8 | 5/32 | 3/ | 16 1 | /4 | 5/16 | 5 |
| RS-13ZD | 13 | | | 5 5/6 | | | | | | | 5 |

| INDIVIDUAL | | | (Slide bl | ister pack |
|------------|-----------|----|-----------|------------|
| Item No. | Н | L1 | L2 | Inner |
| R-1.5 | 1,5 | 12 | 52 | 10 |
| R-2 | 2 | 12 | 58 | 10 |
| R-2.5 | 2.5 | 15 | 60 | 10 |
| R-3 | 3 | 20 | 65 | 10 |
| R-4 | 4 | 25 | 72 | 10 |
| R-5 | 5 | 28 | 80 | 10 |
| R-6 | 6 | 32 | 90 | 10 |
| R-8 | 8 | 36 | 100 | 10 |
| R-10 | 10 | 40 | 112 | 10 |
| R-12 | 12 | 45 | 125 | 10 |
| R-14 | 14 | 55 | 140 | 10 |
| R-17™ | 17 | 60 | 160 | 4 |
| R-19* | 19 (3/4") | 70 | 175 | 4 |

KEY WRENCH

DRIVE 0127mm=1/2", 09.5mm=3/8" 21LB/21SB/83SB



METRIC CITC

21LB-12

| STANDARD | | | VIDUAL | | (5 | (Side bister pack) | | | |
|----------|-------|----|--------|----|----|--------------------|-------|--|--|
| Item No. | Drive | Н | D | D2 | B | L | Inner | | |
| 21SB-3 | □12.7 | 3 | 23.5 | 33 | 16 | 49 | 10 | | |
| 21SB-4 | □12.7 | 4 | 23.5 | 33 | 18 | 51 | 10 | | |
| 21SB-5 | □12.7 | 5 | 23.5 | 33 | 21 | 54 | 10 | | |
| 21SB-6 | □12.7 | 6 | 23.5 | 33 | 23 | 56 | 10 | | |
| 21SB-8 | □12.7 | 8 | 23.5 | 33 | 25 | 58 | 10 | | |
| 21SB-10 | □12.7 | 10 | 23.5 | 38 | 28 | 66 | 10 | | |
| 21SB-12 | □12.7 | 12 | 23.5 | 38 | 32 | 70 | 10 | | |
| 21SB-14 | □12.7 | 14 | 23.5 | 38 | 43 | 81 | 10 | | |
| 21SB-17 | □12.7 | 17 | 25 | 41 | 45 | 86 | 10 | | |

| OVERALL L | ENGTH 1 | 10mm I | NDIVIDUA | L | (Slide blis | ter pack) |
|-----------|---------|--------|----------|----|-------------|-----------|
| Item No. | Drive | Н | D | D2 | В | Imer |
| 21LB-3 | □12.7 | 3 | 23.5 | 33 | 77 | 10 |
| 21LB-4 | □12.7 | 4 | 23.5 | 33 | 77 | 10 |
| 21LB-5 | □12.7 | 5 | 23.5 | 33 | 77 | 10 |
| 21LB-6 | □12.7 | 6 | 23.5 | 33 | 77 | 10 |
| 21LB-8 | □12.7 | 8 | 23.5 | 33 | 77 | 10 |
| 21LB-10 | □12.7 | 10 | 23.5 | 38 | 72 | 10 |
| 21LB-12 | □12.7 | 12 | 23.5 | 38 | 72 | 10 |
| 21LB-14 | □12.7 | 14 | 23.5 | 38 | 72 | 10 |
| 21LB-17 | □12.7 | 17 | 25 | 41 | 69 | 10 |

| STANDARD | LENGTH | INDIV | IDUAL | | (5 | ilde blist | ter pack) |
|----------|--------|-------|-------|----|----|------------|-----------|
| Item No. | Drive | Н | D | D2 | В | L | Inner |
| 83SB-3 | □9.5 | 3 | 17 | 27 | 17 | 44 | 10 |
| 83SB-4 | □9.5 | 4 | 17 | 27 | 19 | 46 | 10 |
| 83SB-5 | □9.5 | 5 | 17 | 27 | 22 | 49 | 10 |
| 83SB-6 | □9.5 | 6 | 17 | 27 | 24 | 51 | 10 |
| 83SB-8 | □9,5 | 8 | 17 | 29 | 27 | 56 | 10 |
| 83SB-10 | □9.5 | 10 | 19 | 29 | 30 | 59 | 10 |


| OVERALL L | ENGTH 1 | 10mm II | NDIVIDUA | AL. | (Slide blister pa | | | |
|-----------|---------|---------|----------|-----|-------------------|------|--|--|
| Item No. | Drive | Н | D | D2 | 8 | Imer | | |
| 83LB-3 | □9,5 | 3 | 17 | 27 | 83 | 10 | | |
| 83LB-4 | □9.5 | 4 | 17 | 27 | 83 | 10 | | |
| 83LB-5 | □9.5 | 5 | 17 | 27 | 83 | 10 | | |
| 83LB-6 | □9.5 | 6 | 17 | 27 | 83 | 10 | | |
| 83LB-8 | □9.5 | 8 | 17 | 29 | 81 | 10 | | |
| 83LB-10 | □9,5 | 10 | 19 | 29 | 81 | 10 | | |

for TORX SCREW

STANDARD LENGTH

TXH/TXI





TX nominal size BOREHOLE DOOR HOLDER SET

(Side blister pack)

| Item No. | Pcs. | | | | | T | | WW. | | hner |
|----------|------|----|-----|-----|-----|-----|-----|-----|-----|------|
| TXH-S8 | 8 | T8 | T10 | T15 | T20 | T25 | T27 | T30 | T40 | 10 |

| BOREHOLE | INDIVID | | er pack) | | | | |
|----------|---------|----|----------|-------|-----|-----|-----|
| Item Na. | T | L1 | L2 | В | Ηф | DP | mer |
| TXH-6 | T 6 | 12 | 52 | φ 2.3 | 0.7 | 1.5 | 30 |
| TXH-8 | T8 | 12 | 58 | 2 | 0.7 | 1.5 | 30 |
| TXH-10 | T 10 | 15 | 60 | 2.5 | 1.0 | 1.7 | 30 |
| TXH-15 | T 15 | 20 | 65 | 3 | 1,3 | 2.0 | 30 |
| TXH-20 | T 20 | 22 | 68 | 3.5 | 1.8 | 2.2 | 30 |
| TXH-25 | T 25 | 25 | 72 | 4 | 2.1 | 2.5 | 30 |
| TXH-27 | T 27 | 27 | 76 | 4.5 | 2.4 | 3.0 | 20 |
| TXH-30 | T 30 | 28 | 80 | 5 | 2.7 | 3.2 | 20 |
| TXH-40 | T 40 | 32 | 90 | 6 | 3.2 | 3.7 | 20 |

%Tamper-resistant screws are usually made under special specifications, so our products might not be suitable for all tamper-resistant screws.





hner

5

TX nominal size VINYL POUCH SET TXL-10

Item No. Pcs. T10 T15 T20 T25 T27 TXL-10 10 T30 T40 T45 T50 T55

| DOOR HOLD | DER SET | | | (Side bist | er pack) |
|------------|---------|-----------|-----------|------------|----------|
| TXL-S8 | 8 T8 T | 10 T15 T2 | 0 T25 T27 | T30 T40 | 10 |
| INDIVIDUAL | | | | (Side bist | er pack) |
| Item No. | T | L1 | L2 | Вф | Inner |
| TX-8P | T8 | 12 | 58 | 2.3 | 10 |
| TX-10P | T 10 | 15 | 60 | 2.7 | 10 |
| TX-15P | T 15 | 20 | 65 | 3.3 | 10 |
| TX-20P | T 20 | 22 | 68 | 3.8 | 10 |
| TX-25P | T 25 | 25 | 72 | 4,4 | 10 |
| TX-27P | T 27 | 27 | 76 | 5 | 10 |
| TX-30P | T 30 | 28 | 80 | 5.5 | 10 |
| TX-40P | T 40 | 32 | 90 | 6.6 | 10 |
| TX-45* | T 45 | 34 | 95 | 7.7 | 10 |
| TX-50* | T 50 | 36 | 100 | 8.8 | 10 |

40

112


11.2


#Bulk pack for TX45-TX55


T 55

TX-55*

10














TX nominal size

| NDIVIDUAL | | | | (P | oly bag with | header |
|-----------|-----|----|------|-----|---------------|--------|
| Item No. | T | L1 | L2 | Вφ | Overal length | hner |
| XF-6 | T6 | 18 | 33 | 2.3 | 62 | 10 |
| XF-7 | T7 | 21 | 35 | 2.3 | 68 | 10 |
| XF-8 | T8 | 21 | 38 | 2.3 | 71 | 10 |
| XF-9 | T9 | 24 | 41.5 | 2.8 | 77.5 | 10 |
| XF-10 | T10 | 24 | 44.5 | 2.8 | 80.5 | 10 |
| XF-15 | T15 | 29 | 46 | 3.3 | 84 | 10 |
| XF-20 | T20 | 33 | 49 | 3.9 | 87 | 10 |

| INDIVIDUAL (Poly bag with he | | | | | |
|------------------------------|-----|----|----|----------------|-------|
| Item No. | Т | L1 | L2 | Overall length | Inner |
| XFD-6 | T6 | 18 | 10 | 110 | 10 |
| XFD-8 | T8 | 20 | 12 | 112 | 10 |
| XFD-10 | T10 | 22 | 14 | 114 | 10 |
| XFD-15 | T15 | 26 | 16 | 116 | 10 |
| XFD-20 | T20 | 30 | 18 | 118 | 10 |

| INDIVIDUAL (Poly bag with header | | | | | | | | |
|----------------------------------|-----|----|----|----------------|------|--|--|--|
| Item No | Н | L1 | L2 | Overall length | hner | | | |
| HFD-1.5 | 1,5 | 18 | 10 | 110 | 10 | | | |
| HFD-2 | 2 | 20 | 12 | 112 | 10 | | | |
| HFD-2.5 | 2.5 | 22 | 14 | 114 | 10 | | | |
| HFD-3 | 3 | 26 | 16 | 116 | 10 | | | |

| TX non | nlna | | UX |
|-----------|------|----------------------------------|---------|
| PLASTIC C | OVER | METAL CONTAINER SET (Slide blist | er pack |
| Item No. | Pcs. | T | hner |
| TXN-6N | 6 | T10 T15 T20 T25 T30 T40 | 10 |
| TXN-8N | 8 | T8 T10 T15 T20 T25 T27 T30 T40 | 10 |
| STEEL CON | NIAT | ER SET (Slide blist) | er pack |
| TXN-6 | 6 | T10 T15 T20 T25 T30 T40 | 10 |
| TXN-8 | 8 | T9 T10 T15 T20 T25 T27 T30 T40 | 10 |

| tem No. | T | L1 | L2 | В | Overall length | inner |
|---------|------|-----|-----|---|----------------|-------|
| KT-15 | T 15 | 75 | 86 | 3 | 108 | 10 |
| (T-20 | T 20 | 92 | 92 | 4 | 119 | 10 |
| KT-25 | T 25 | 92 | 92 | 4 | 119 | 10 |
| KT-27 | T 27 | 92 | 105 | 5 | 132 | 10 |
| (T-30 | T 30 | 92 | 105 | 5 | 132 | 10 |
| KT-40 | T 40 | 119 | 111 | 6 | 145 | 10 |
| (T-45 | T 45 | 119 | 137 | 8 | 171 | 10 |
| (T-50 | T 50 | 119 | 137 | 8 | 171 | 10 |

MADE IN JAPAN



http://www.eight-tool.co.jp



EIGHT TOOL CO.,LTD

4-9-43, TATSUMI-MINAMI, IKUNO-KU, OSAKA, 544-0015, JAPAN

STANDARD SERIES

KEY WRENCH STANDARD LENGTH No.OOI/No.OOIN/OOI-*H



Black parkerized

No.001

| METRIC | SIZE | | | 0 |
|----------------------|-------------------|------------|-----|---------|
| INDIVIDUAL Code # | - Howevery window | Fill Works | | lk pack |
| No.001-1.5m | 1.5 | L1 | L2 | Inner |
| No.001-1.5m | 1 30 | 12 | 52 | 100 |
| No 001-2-m | 2 24 | 12 | 58 | 100 |
| No.001-2.4mm | 2.5 | 15 | 60 | 100 |
| No.001-2.5mm | 3 | 15 | 60 | 100 |
| No.001-3.5mm | 3.5 | 20 | 65 | 100 |
| No.001-3.5mm | 4 | 22 | 100 | 100 |
| No.001-4:5m | 45 | 1000 | 72 | 100 |
| No 001-5m | 5 | 27 | 76 | 100 |
| No.001-5.5m | 5.5 | 30 | 80 | 100 |
| Na 001-6m | 6 | 32 | 90 | 100 |
| No.001-7mm | 7 | 34 | 95 | 50 |
| No.001-8mm | 8 | 36 | 100 | 50 |
| No.001-9m | 9 | 38 | 106 | 30 |
| No.001-10mi | 10 | 40 | 112 | 30 |
| No.001-11m | 11(7/16") | 42 | 118 | 25 |
| No.001-12m | 12 | 45 | 125 | 20 |
| No.001-13m | 13 | 50 | 132 | 10 |
| No.001-14m | 14 | 55 | 140 | 10 |
| No.001-15mm | 15 | 57 | 150 | 10 |
| No.001-16m | 16 (5/8") | 57 | 153 | 10 |
| No.001-17mm | 17 | 60 | 160 | 10 |
| No.001-18mm | 18 | 65 | 170 | 6 |
| No.001-19mm | 19 (3/4") | 70 | 175 | 6 |
| No.001-20m | 20 | 72 | 185 | 6 |
| No.001-21m | 21 | 75 | 198 | 6 |
| No.001-22mm | 22 | 80 | 200 | 6 |
| No.001-23mm | 23 | 85 | 210 | - |
| No.001-24mm | 24 | 90 | 225 | - |
| No.001-26mm | 26 | 95 | 245 | - |
| No.001-27mm | 27 | 100 | 250 | - |
| No.001-30mm | 30 | 120 | 290 | |
| No.001-32mm | 32 | 125 | 315 | _ |
| No.001-36mm | 36 | 130 | 320 | 100 |
| No.001-41m | 41 | 140 | 390 | _ |
| No.001-46m | 46 | 155 | 410 | - |
| | 1000 | | | |

430



|) | INCH 512 | E | | (Bu | lk pack |
|------|---------------|--------|------|-----|---------|
| 2000 | Code # | Н | LI | L2 | hner |
| | No.001-0.028 | 0.028* | 8 | 34 | 100 |
| | No.001-0.035" | 0.035" | 10 | 34 | 100 |
| | No.001-0.05" | 0.05* | 14 | 46 | 100 |
| | No.001-1/16" | 1/16" | 13 | 46 | 100 |
| | No.001-5/64" | 5/64" | 14 | 50 | 100 |
| | No.001-3/32" | 3/32* | 17 | 56 | 100 |
| | No.001-7/64" | 7/64* | 18 | 58 | 100 |
| | No.001-1/8" | 1/8" | 20 | 60 | 100 |
| | No.001-9/64" | 9/64" | 22 | 65 | 100 |
| | No.001-5/32" | 5/32" | 24 | 68 | 100 |
| | No.001-3/16" | 3/16" | 25 | 75 | 100 |
| | No.001-7/32" | 7/32 | 27 | 81 | 100 |
| | No.001-1/4" | 1/4" | 30 | 88 | 100 |
| | No.001-9/32" | 9/32" | 34 | 95 | 50 |
| | No.001-5/16" | 5/16" | 34 | 98 | 50 |
| | No.001-3/8" | 3/8" | 37 , | 110 | 30 |
| | No.001-7/16" | 7/16" | 42 | 118 | 25 |
| | No.001-1/2" | 1/2" | 45 | 125 | 20 |
| | No.001-9/16" | 9/16" | 55 | 138 | 10 |
| | No.001-5/8" | 5/8* | 57 | 153 | 10 |
| | No.001-3/4" | 3/4" | 70 | 175 | 6 |
| | No.001-7/8" | 7/8" | 80 | 200 | 6 |
| | No 001-1" | 1" | 95 | 235 | - |



Nickel plated

No.001N

METRIC SIZE

| INDIVIDUAL | (Bu | (k pack) | | |
|-------------|-----|----------|-----|-------|
| Code # | Н | 1.1 | L2 | Inner |
| No.001N-1.5 | 1.5 | 12 | 52 | 100 |
| No.001N-2 | 2 | 12 | 58 | 100 |
| No.001N-2.5 | 2.5 | 15 | 60 | 100 |
| No.001N-3 | 3 | 20 | 65 | 100 |
| No.001N-3.5 | 3.5 | 22 | 68 | 100 |
| No.001N-4 | 4 | 25 | 72 | 100 |
| No.001N-4.5 | 4.5 | 27 | 76 | 100 |
| No.001N-5 | 5 | 28 | 80 | 100 |
| Na.001N-5.5 | 5.5 | 30 | 85 | 100 |
| No.001N-6 | 6 | 32 | 90 | 100 |
| No.001N-7 | 7 | 34 | 95 | 50 |
| No.001N-8 | 8 | 36 | 100 | 50 |
| No.001N-9 | 9 | 38 | 106 | 30 |
| No.001N-10 | 10 | 40 | 112 | 30 |

BOREHOLE DOUBLE ENDS






Nickel plated

001-*H

METRIC SIZE

| | INDIVIDUAL | | | | | (Bu | k pack) |
|---|------------|-----|----|-----|-----|-----|---------|
| | Item No. | Н | LI | L2 | Нф | DP | Inner |
| | 001-2H | 2 | 12 | 58 | 1.0 | 1.5 | 10 |
| | 001-2.5H | 2.5 | 15 | 60 | 1.3 | 2.0 | 10 |
| | 001-3H | 3 | 20 | 65 | 1.5 | 3.0 | 10 |
| 1 | 001-4H | 4 | 25 | 72 | 2.0 | 3.0 | 10 |
| | 001-5H | 5 | 28 | 80 | 2.5 | 3.5 | 10 |
| | 001-6H | 6 | 32 | 90 | 3.2 | 5.0 | 10 |
| | 001-8H | 8 | 36 | 100 | 4.6 | 6.0 | 10 |
| | 001-10H | 10 | 40 | 112 | 5.7 | 7.0 | 10 |

specifications, so our products might not be suitable for all tamper resistant screws.



No.001-50m

HEXAGONAL KEY WRENCH

STANDARD LENGTH





"EIGHT" No.002-4

VINYL POUCH SET (RED) No.012-3



M-8Z

METAL RING SET No.004-3 No.004-4

DOOR HOLDER SET 001-156D 001-9ZD

No.002/No.012

METRIC & INCH SIZE

| VINYL POU | ICH S | ET (BLUE) (Vin | yl pouch) |
|-----------|-------|---|-----------|
| Code # | Pcs. | Н | imer |
| No.002-2 | 8 | 1.5 2 2.5 3 4 5 5.5 6 | 12 |
| No.002-3 | 8 | 2 2.5 3 4 5 6 8 10 | 12 |
| No.002-4 | 10 | 1.5 2 2.5 3 4 5 5.5 6 8 10 | 12 |
| No.002-5 | 10 | 1.5 2 2.5 3 4 5 6 8 10 12 | 6 |
| No.002-11 | 10 | 1/16 5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 3/8 | 12 |
| No.002-12 | 10 | 1/16 5/64 3/32 1/8 5/32 3/16 7/32 5/16 3/8 1/2 | 6 |

METRIC SIZE

| VINYL POL | JCH S | ET (RED) (Vir | ryl pouch) |
|-----------|-------|---------------------------|------------|
| Code # | Pcs. | н | Inner |
| No.012-3 | 10 | 2.5 3 4 5 6 8 10 12 14 17 | 4 |
| No.012-4 | 8 | 3 4 5 6 8 10 12 14 | 6 |
| No.012-7 | 8 | 2 3 4 5 6 8 10 12 | 10 |

M

METRIC & INCH SIZE

| MICRO SIZ | E, VIN | YL PO | UCH S | ET | | | | (Vin) | (pouch) |
|-----------|--------|-------|-------|---------------|--------|-------|------|-------|----------|
| Item No. | Pcs. | | | + | (2000) | (MAN) | | | Inner |
| M-7M | 7 | 0.71 | 0.89 | 1.27 | 1.5 | 2 | 2.5 | 3 | 20 |
| M-8Z | 8 | 0.028 | | 35" 0. 1/8 | 05" | 1/1 | 6 5, | /64 | 20 |

No.004

METRIC & INCH SIZE

| Code # | Pcs. | H | Inner |
|----------|------|---|-------|
| No.004-1 | 8 | 1.5 2 2.5 3 4 5 5.5 6 | 12 |
| No.004-2 | 8 | 2 2.5 3 4 5 6 8 10 | 12 |
| No.004-3 | 10 | 1.5 2 2.5 3 4 5 5.5 6 8 10 | 12 |
| No.004-4 | 8 | 1/16 5/64 3/32 1/8 5/32 3/16 7/32 1/4 | 12 |
| No.004-5 | 8 | 3/32 1/8 5/32 3/16 7/32 1/4 5/16 3/8 | 12 |
| No.004-6 | 10 | 1/16 5/64 3/32 1/8 5/32 3/16 7/32 1/4 5/16 3/8 | 12 |

001-*D

METRIC & INCH SIZE

| DOOR HOL | DER S | SET | | | | | | | (Slid | e blist | er pack) |
|-----------|-------|------|------|------|-----|------|------|-----|-----------|---------|----------|
| Item No. | Pcs. | | | | | Н | | | William . | WWW. | imer |
| 001-156D | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | | 10 |
| 001-158D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 10 |
| 001-1510D | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 10 |
| 001-9ZD | 9 | 1/16 | 5/64 | 3/32 | 1/8 | 5/32 | 3/16 | 1/4 | 5/16 | 3/8 | 10 |


HEXAGONAL KEY WRENCH

EXTRA LONG LENGTH



INCH SIZE

| NDIVIDUAL | A | | (B | ulk pack |
|--------------|-------|----|-----|----------|
| Code # | H | L1 | L2 | imer |
| No.014-1/16" | 1/16" | 15 | 79 | 20 |
| No.014-5/64" | 5/64" | 17 | 93 | 20 |
| No.014-3/32" | 3/32" | 18 | 108 | 20 |
| No.014-1/8" | 1/8" | 20 | 127 | 20 |
| No.014-5/32" | 5/32" | 25 | 140 | 20 |
| No.014-3/16 | 3/16" | 28 | 158 | 20 |
| No.014-7/32 | 7/32" | 30 | 168 | 20 |
| No.014-1/4" | 1/4" | 32 | 178 | 20 |
| No.014-9/32" | 9/32" | 34 | 188 | 10 |
| No.014-5/16" | 5/16* | 36 | 198 | 10 |
| No.014-3/8" | 3/8" | 40 | 222 | 10 |
| No.014-7/16" | 7/16" | 43 | 240 | 4 |
| No.014-1/2" | 1/2" | 45 | 248 | 4 |
| No.014-9/16" | 9/16" | 55 | 278 | 4 |
| No.014-5/8" | 5/8" | 60 | 320 | 4 |
| No.014-3/4" | 3/4" | 70 | 360 | 4 |



METRIC & INCH SIZE

| METAL CA | SE SE | T (Meta | (case) |
|----------|-------|--|---------|
| Code # | Pcs. | н | Outer |
| No.014-1 | 15 | (1.5 2 2.5 3 4 5 6 KNFE type) 3 4 5 6 8 10 12 14 | 10 |
| No.014-2 | 15 | (1/16 5/64 3/32 1/8 5/32 3/16 7/32 KNFE type) 1/8 5/32 3/16 1/4 5/16 3/8 1/2 9/16 | 10 |

METRIC SIZE

| FLAT TYPE | HOLE | DER S | ET | | | | | | (SI | de blist | er pack) |
|-----------|------|-------|----|-----|---|---|---|---|-----|----------|----------|
| Code # | Pcs. | | | | | H | | | | | Imer |
| No.014-9 | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |

METRIC & INCH SIZE

| VINYL POL | JCH S | =1 | | | | | - | | (Vin | yl pouch) |
|-----------|-------|-----|------|-----|-------|---|-----|------|------|-----------|
| Code # | Pcs. | | | | Н | | | | | Inner |
| No.014-3 | 7 | 3 | 4 | 5 | 5.5 | 6 | 8 | 16 | 0 | 5 |
| No.014-4 | 7 | 1/8 | 5/32 | 3/1 | 6 7/3 | 2 | 1/4 | 5/16 | 3/8 | 5 |

METRIC SIZE

| DOOR HOL | DER S | ET | | | | | | | (Slide | blister pack) |
|----------|-------|-----|---|-----|---|---|---|---|--------|---------------|
| Item No. | Pcs. | | | | | Н | | | | Inner |
| 014-156D | 7 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | | 10 |
| 014-158D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 5 |

METRIC SIZE

| INDIVIDUAL | | | (| Bulk pack) |
|-------------------------|-----------|----|-----|------------|
| Code # | H | L1 | L2 | Inner |
| No.014-1.5m | 1.5 | 16 | 79 | 20 |
| No.014-2mm * | 2 | 17 | 95 | 20 |
| No.014-2.5m | 2.5 | 18 | 110 | 20 |
| No.014-3mm * | 3 | 20 | 126 | 20 |
| No.014-4mm [™] | 4 | 25 | 142 | 20 |
| No.014-5mm * | 5 | 28 | 160 | 20 |
| No.014-5.5m | 5.5 | 30 | 170 | 20 |
| No.014-6mm * | 6 | 32 | 180 | 20 |
| No.014-7mm * | 7 | 34 | 190 | 10 |
| No.014-8mm | 8 | 36 | 200 | 10 |
| No.014-9mm * | 9 | 38 | 220 | 10 |
| No.014-10m | 10 | 40 | 224 | 10 |
| No.014-11mm | 11(7/16") | 43 | 240 | 4 |
| No.014-12mm | 12 | 45 | 250 | 4 |
| No.014-14m | 14 | 55 | 280 | 4 |
| No.014-17m | 17 | 60 | 320 | 4 |
| No.014-19m | 19 (3/4") | 70 | 360 | 4 |

iii. Be sure to describe the suffix "mm" for each code number when ordering.

POINT KEY WRENCH

LONG LENGTH

No.016

HEX KEY WRENCH STANDARD & LONG & SHORT LENGTH No.018



METRIC & INCH SIZE

| DOOR HOL | DER S | SET | | 1000 | | | | | (Slid | e blist | er pack) |
|-----------|-------|---------------|------------|----------------|-----------|--------------|-----|----|------------|---------|----------|
| Item No. | Pcs. | | | | | H | | | | | imer |
| 016-158D | 8 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 5 |
| 016-1510D | 9 | 1.5 | 2 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 5 |
| 016-13ZD | 13 | 0.05* 9/64 | 1/1 5/3 | 6 5/0 2 3/1 | 64 6 7 | 3/32 7/32 | 1/4 | 64 | 1/8 /16 | 3/8 | 5 |

METRIC SIZE

| MICRO SIZ | E SEI | (Plast | ic case) |
|-----------|-------|--|----------|
| item No. | Pcs. | NEW H | Inner |
| MC-016D | 7 | 0.89 mm. Hexagon screwdriver ** hex key : 1.27 1.5 2 2.5 3 4 | 10 |


%Hexagon screwdriver is black parkerized finish blade with plastic hande.

METRIC SIZE

| INDIVIDUAL | the test | | (Slide bli | ster pack) |
|---------------|--------------|----|------------|------------|
| Code # | Н | LI | L2 | Irrier |
| No.016-1.27mm | 1.27 (0.05") | 14 | 75 | 10 |
| No.016-1.5mm | 1.5 | 16 | 79 | 10 |
| No.016-2mm ** | 2 | 17 | 86 | 10 |
| No.016-2.5mm | 2.5 | 18 | 94 | 10 |
| No.016-3mm * | 3 | 20 | 101 | 10 |
| No.016-4mm * | 4 | 25 | 110 | 10 |
| No.016-5mm | 5 | 28 | 120 | 10 |
| No.016-5.5mm | 5.5 | 30 | 127 | 10 |
| No.016-6mm | 6 | 32 | 133 | 10 |
| No.016-8mm | 8 | 36 | 154 | 10 |
| No.016-10mm | 10 | 40 | 172 | 10 |
| No.016-12mm | 12 | 45 | 206 | 10 |
| No.016-14mm | 14 | 55 | 225 | 6 |
| No.016-17mm* | 17 | 60 | 250 | 4 |
| No.016-19m | 19 (3/4") | 70 | 280 | 4 |
| No.016-22mm | 22 | 85 | 325 | - |

IRBB sure to describe the suffix: "mm" for each code number when ordering.
IRBB/B pack for the sizes from 12 to 22 mm.
IRBB/B sizes from 12 to 22 mm.
IRBB/B pack for the sizes.

19





METRIC & INCH SIZE

| STANDARD | LENG | TH SET | | | | (Side bis | ter pack) |
|----------|------|--------|-----|------|------|-----------|-----------|
| Code # | Pcs | | | Н | | | Inner |
| No.018-1 | 5 | 2.5 | 3 | 4 | 5 | 6 | 5 |
| No.018-2 | 5 | 3/32 | 1/8 | 5/32 | 3/16 | 1/4 | 5 |

METRIC SIZE ** Ask us individual products of inch sizes.

| STANDARD L | ENGTH | INDIVIDUAL | | (Hanging | header |
|------------|-------|------------|-----|---------------|--------|
| Item No. | Н | Lì | L2 | Overal length | Inner |
| 018-2H | 2 | 85 | 71 | 110 | 10 |
| 018-2.5H | 2.5 | 85 | 110 | 150 | 10 |
| 018-3H | 3 | 85 | 126 | 167 | 10 |
| 018-4H | 4 | 100 | 130 | 180 | 10 |
| 018-5H | 5 | 100 | 153 | 203 | 10 |
| 018-6H | 6 | 125 | 173 | 233 | 10 |
| 018-8H | 8 | 200 | 184 | 264 | 10 |
| 018-10H | 10 | 200 | 204 | 284 | 10 |

| LONG LENGT | H INDIVID | UAL | | (Hanging | header) |
|------------|-----------|-----|-----|---------------|---------|
| Item No. | н | L1 | L2 | Overal length | Free |
| 018L-2H | 2 | 85 | 200 | 240 | 10 |
| 018L-2.5H | 2.5 | 85 | 200 | 240 | 10 |
| 018L-3H | 3 | 85 | 300 | 340 | 10 |
| 018L-4H | 4 | 100 | 300 | 350 | 10 |
| 018L-5H | 5 | 100 | 350 | 400 | 10 |
| 018L-6H | 6 | 125 | 350 | 410 | 10 |
| 018L-8H | 8 | 200 | 350 | 430 | 10 |
| 018L-10H | 10 | 200 | 350 | 430 | 10 |

| SHORT LENG | TH INDIV | DUAL N | WE | (Hanging | header) |
|------------|----------|--------|----|----------------|---------|
| Item No. | Н | L1 | L2 | Overall length | Inner |
| 018S-2H | 2 | 85 | 54 | 94 | 10 |
| 018S-2.5H | 2.5 | 85 | 54 | 94 | 10 |
| 018S-3H | 3 | 85 | 70 | 110 | 10 |
| 018S-4H | 4 | 100 | 77 | 127 | 10 |
| 018S-5H | 5 | 100 | 89 | 139 | 10 |
| 018S-6H | 6 | 125 | 93 | 153 | 10 |

"TAPER HEAD" KEY

EXTRA LONG LENGTH

TAI4




METRIC SIZE

| INDIVIDUAL | | | | Bulk pack) |
|------------|-----|----|-----|------------|
| Item No. | Н | L1 | L2 | Inner |
| TA14-1.5 | 1.5 | 16 | 79 | 20 |
| TA14-2 | 2 | 17 | 95 | 20 |
| TA14-2.5 | 2.5 | 18 | 110 | 20 |
| TA14-3 | 3 | 20 | 126 | 20 |
| TA14-4 | 4 | 25 | 142 | 20 |
| TA14-5 | 5 | 28 | 160 | 20 |
| TA14-6 | 6 | 32 | 180 | 20 |
| TA14-8 | 8 | 36 | 200 | 10 |
| TA14-10 | 10 | 40 | 224 | 10 |

T TYPE

TAPER HEAD KEY WRENCH



METRIC SIZE

| INDIVIDUAL | 3126 | | | (Bul | k pack) |
|------------|------|-----|-----|----------------|---------|
| Item No. | H | Li | L2 | Overall length | hner |
| PTT-2.5 | 2.5 | 75 | 101 | 123 | 10 |
| PTT-3 | 3 | 75 | 118 | 140 | 10 |
| PTT-4 | 4 | 92 | 134 | 161 | 10 |
| PTT-5 | 5 | 92 | 147 | 174 | 10 |
| PTT-6 | 6 | 119 | 168 | 202 | 10 |
| PTT-8 | 8 | 119 | 187 | 221 | 10 |

KNIFE TYPE

HEX KEY WRENCH

Nickel plated



NHT-1 PLASTIC COVER

METAL CONTAINER SET

21

No.009/NHT/NHP

METRIC SIZE

| STEEL CON | ITAIN | ER SE | T | | | | (Sli | de blist | er pack) |
|-----------|-------|-------|---|-----|---|---|------|----------|----------|
| Code # | Pcs. | | | | Н | | | | inner |
| No.009-1 | 7 | 1.5 | 2 | 2,5 | 5 | 3 | 4 5 | 6 | 10 |
| No.009-2 | 6 | 2.5 | 3 | 4 | 5 | 6 | 8 | | 10 |
| No.009-3 | 6 | 3 | 4 | 5 | 6 | 8 | 10 | | 10 |
| No.009-8 | 7 | 2.5 | 3 | 4 | 5 | 6 | 8 | 10 | 10 |

INCH SIZE

| STEEL CON | TAIN | EH SE | Same. | | | | (Sii | de bliste | r pack |
|-----------|------|-------|-------|------|-----|------|------|-----------|--------|
| Code # | Pcs. | | | | Н | | | | inner |
| No.009-4 | 7 | 1/16 | 5/64 | 3/32 | 1/8 | 5/32 | 3/16 | 7/32 | 10 |

METRIC SIZE

| PLASTIC C | OVER | METAL CONTAINER SET (Side bliste | r pack) |
|-----------|------|--|---------|
| Item No. | Pcs. | H | Inner |
| NHT-1 | 8 | (2.5 3 4 Hex Key) (2.5 3 4 5 6 Taper Head) | 10 |
| NHP-1 | 7 | 2.5 3 4 5 6 ⊕ No.1 ⊕ No.2 Cross Point Screwdriver | 10 |


^{36.1} Easy operation for pre-fastering and tight fastering by combination of Taper Head Whenches and Hox Key Wrenches.

^{#2} Wider application with cross point screwdriver Bits.

CROSS POINT FOR POWER TOOLS



■ Plastic holder with belt clip.



- Double ends screwdriver bit.
- Gold color plated finish.
- Magnetized bits.

Vinyl kit with header EA-01 G ⊕No.2×150



| 6.35 | L 12 + 6,354 (1/4") |
|-------|--|
| HHHHH | ■ Double ends screwdriver bit. ■ Shot finish. |
| HHILL | Blister pack EA-02 ⊕No.2×75 |

6.35 mm. SHANK, 13 mm. GROOVE EA-OIGS/EA-OIG

| PLASTIC HOLDER 10PCS | Water | THE REAL PROPERTY. | THE RESERVE AND PARTY OF THE PA | lide bliste | N ASSESSMENT |
|---------------------------------|----------|--------------------|--|-------------|--------------|
| Item No. | Code # | Pcs. | 0 | L | Inner |
| EA-01 GS ⊕ No.2×45 | 01GS2045 | 10 | No.2 | 45 | 10 |
| EA-01 GS ⊕ No.2×65 | 01GS2065 | 10 | No.2 | 65 | 10 |
| EA-01 GS ⊕ No.2×110 | 01GS2110 | 10 | No.2 | 110 | 10 |
| 10PCS. SET | | | | (Blist | er pack |
| Item No. | Code # | Pcs. | 0 | L | irner |
| EA-01 G ⊕ No.1×45 | 01G1045 | 10 | No.1 | 45 | 10 |
| EA-01 G ⊕ No.1×65 | 01G1065 | 10 | No.1 | 65 | 10 |
| EA-01 G ⊕ No.2×45 | 01G2045 | 10 | No.2 | 45 | 10 |
| EA-01 G ⊕ No.2×65 | 01G2065 | 10 | No.2 | 65 | 10 |
| EA-01 G ⊕ No.2×75 | 01G2075 | 10 | No.2 | 75 | 10 |
| EA-01 G ⊕ No.2×110 | 01G2110 | 10 | No.2 | 110 | 10 |
| EA-01 G ⊕ No.2×150 [™] | 01G2150 | 10 | No.2 | 150 | 5 |
| EA-01 G ⊕ No.3×45 | 01G3045 | 10 | No.3 | 45 | 10 |
| EA-01 G ⊕ No.3×65 | 01G3065 | 10 | No.3. | 65 | 10 |
| EA-01 G ⊕ No.3×110 | 01G3110 | 10 | No.3 | 110 | 10 |
| EA-01 G ⊕ No.3×150 * | 01G3150 | 10 | No.3 | 150 | 5 |

If Viryl kit with header packing for 150 mm, products

6.35 mm. SHANK, 9 mm. GROOVE

EA-OE

| 10PC. SET | | | | | | (Blister pack | |
|-----------|--------------|--------|------|----------|-----|---------------|--|
| h | Item No. | | Pcs. | (| L | inner | |
| EA-02 | ⊕No.1×75 | 021075 | 10 | No.1 | 75 | 10 | |
| EA-02 | ⊕ No.2×50 | 022050 | 10 | No.2 | 50 | 10 | |
| EA-02 | ⊕ No.2×75 | 022075 | 10 | No.2 | 75 | 10 | |
| EA-02 | ⊕ No.2×100 | 022100 | 10 | No.2 | 100 | 10 | |
| EA-02 | ⊕ No.2×150* | 022150 | 10 | No.2 | 150 | 5 | |
| EA-02 | ⊕ No.3×75 | 023075 | 10 | No.3 | 75 | 10 | |
| EA-02 | ⊕ No.3×100 | 023100 | 10 | No.3 | 100 | 10 | |
| EA-02 | ⊕ No.3×150 * | 023150 | 10 | No.3 | 150 | 5 | |


FOR IMPACT WRENCH OF SHOCK DRIVER

8 mm. SHANI

EA-OE

Heavy duty screwdriver bit.





| OPCS, S | ET | | | | (Pa | per ba |
|----------|------------|--------|-----|----------|-----|--------|
| Item No. | | Code # | Pcs | (| L | inne |
| EA-06 | ⊕ No.2×36 | 062036 | 10 | No.2 | 36 | 5 |
| EA-06 | ⊕ No.2×80 | 062080 | 10 | No.2 | 80 | 5 |
| EA-06 | ⊕ No.2×125 | 062125 | 10 | No.2 | 125 | 5 |
| EA-06 | ⊕ No.3×36 | 063036 | 10 | No.3 | 36 | 5 |
| EA-06 | ⊕ No.3×80 | 063080 | 10 | No.3 | 80 | 5 |
| EA-06 | ⊕ No.3×125 | 063125 | 10 | No.3 | 125 | 5 |